

TW750-85 Electric heater

TW750-85 Chrome

Article Number

TW750-85 Chrome - 9427095
TW750-85 Matte Black - 9427093
TW750-85 Polished Brass - 9427096
TW750-85 Copper - 9427098
TW750-85 Bronze - 9427099
TW750-85 Black Chrome - 9427100
TW750-85 Honey Gold - 9427097
TW750-85 Brushed Nickel - 9427094

Functional and stylish towel warmer/towel dryer, 750x85 mm with energy saving function. Single hook for both hand towels and bath towels. The heater can also be used with advantage in rooms other than the bathroom, such as the kitchen or the hallway. Design by Note Design Studio. CE marked.

Timer with energy function:

Press once - On, white glow. Press twice - 2h on, dimmed white light. Press three times - 4h on, weak white glow. Hold - Off



Cleaning

Wipe the surface with a soft cloth and lukewarm water and possibly with soap solution. Avoid alkaline, acid-liming or abrasive cleaners.

Brass is a material that over time gets a beautiful patina but can be polished with brass polish. Copper also gets patina but should not be polished. The other shiny surfaces retain their luster.

Decalcification

Aerators and shower handles should be regularly decalcified by placing them in a vinegar bath for a couple of hours. Should limescale stains occur, use eucalyptus oil and a soft cloth.

Lubrication

Lubricate only with silicone grease.

Maintenance

Visit our [YouTube channel](#) → where there are instructional videos for changing the ceramic cartridge, changing aerators and more.

Specifications


Tube dimension - 18,00
Cable length - 1700,00
Cable diameter - 3,20
Cable resistance - Dubbel lager
Effekt - 14 W
Voltage - 220 V
IP Class - IP 45
Frequency - 50 Hz
Operating temperature - - 60 °C / + 200 °C
Electrical tolerance - ±%10
Power density - 10
CE Classified - Yes

Dimensions/Weight

Package - Weight - 1,85 kg
Product - Width - 85 mm
Product - Depth - 61 mm
Product - Height - 750 mm
Total building height - 750 mm

Tapwell

Drawing - PDF



Tapwell

Exploded View

1. Insex scre
2. Screw
3. Plastic mounting socket
4. Plastic mounting socket (small)
5. Plastic screw plug

